



Black Neptune™

- Smooth, chemical resistant cover

1/2" ID 3000 PSI

- 1 Wire Braid
- 250°F. maximum
- MPT solid & swivel
- Black Bend
- 0.82" OD

Part	Lgth	Wt.
1025	25'	9 lb
1113	50'	18 lb
3733	100'	35 lb
5076	300'	71 lb

3/8" ID 4000 PSI

- 1 wire braid
- 250°F. maximum
- MPT solid & swivel
- Orange Bend
- 0.68" OD



Part	Lgth	Wt.
6450	15'	4 lb
6874	25'	7 lb
6875	30'	9 lb
6867	50'	13 lb
6868	75'	19 lb
6869	100'	26 lb
6870	150'	39 lb
6871	200'	52 lb
6872	250'	65 lb
6873	300'	78 lb

3/8" ID 4500 PSI

- 2 Wire Braid
- 250°F. maximum
- MPT solid & swivel
- Red Bend
- 0.69" OD



Part	Lgth	Wt.
4923	15'	5 lb
4352	25'	8 lb
1207	50'	15 lb
4221	75'	21 lb
1458	100'	28 lb
4302	150'	35 lb

3/8" ID 6000 PSI

Wrapped Cover

- 2 Wire Braid
- 250°F. maximum
- MPT solid & swivel
- Red Bend
- 0.69" OD

Part	Lgth	Wt.
6116	25'	8 lb
6165	50'	16 lb
6173	100'	32 lb

Non-Marking High Pressure Hoses

1/4" ID 3000 PSI

- 250°F. maximum
- MPT solid & swivel
- Black Bend
- 0.53" OD

Blue Neptune™

Part	Lgth	Wt.
5921	25'	7 lb
5279	50'	13 lb
5280	100'	18 lb

3/8" ID 4000 PSI

Blue Neptune™

- 1 Wire Braid
- Smooth Cover
- 250°F. maximum
- MPT solid & swivel
- Orange Bend
- 0.68" OD



Part	Lgth	Wt.
6888	25'	9 lb
6889	50'	13 lb
6890	75'	18 lb
6896	100'	26 lb
6898	150'	38 lb
6900	200'	56 lb

Gray Neptune™

- 1 Wire Braid
- Smooth Cover
- 250°F. maximum
- MPT solid & swivel
- Orange Bend
- 0.68" OD



Part	Lgth	Wt.
5908	25'	9 lb
5872	50'	13 lb
5875	75'	18 lb
5873	100'	26 lb
6783	150'	38 lb
6734	200'	56 lb

3/8" ID 4500 PSI

- 2 Wire braid
- 250°F. maximum
- MPT solid & swivel
- Red Bend
- 0.69" OD

Blue Neptune™



Part	Lgth	Wt.
5567	15'	5 lb
5230	25'	7 lb
5432	50'	13 lb
5032	75'	18 lb
5033	100'	25 lb
5034	150'	42 lb

Custom Cut Hoses Ship from PA ONLY

Part	Size ID	OD	PSI
3445	1/4" Blue Neptune increments of 25"	0.53"	3000
3693	3/8" Black Neptune	0.69"	4000
6598	3/8" Blue Neptune	0.69"	4000
6596	3/8" Gray Neptune	0.69"	4000
4159	3/8" Black Neptune	0.69"	4500
2393	3/8" Blue Neptune	0.69"	4500
6002	3/8" Black Neptune (increments of 50')	0.69"	6000
4210	1/2" Black Neptune (increments of 25')	0.82"	3000

Installed Fittings

Part	Size ID
3048	1/4 hose x 1/4 mpt solid
3049	1/4 hose x 1/4 mpt swivel
3050	3/8 hose x 3/8 MPT Solid
3051	3/8 hose x 3/8 MPT Swivel
3726	1/2 hose x 1/2 MPT Solid
3727	1/2 hose x 1/2 MPT Swivel
2887	1/4" Black Bend Restrictor
5013	3/8" Orange Bend Restrictor
2531	3/8" Red Bend Restrictor
3912	1/2" Black Bend Restrictor

Full Roll Hoses (No fittings)

Reels of hose could have as many as 3 pieces per roll in 50' increments

Note: If single piece is requested your order may be delayed. Ship from PA ONLY



Part	Size ID	PSI	Length
1669	1/4" Blue Neptune	3000	500'
6713	3/8" Black Neptune	4000	500'
6899	3/8" Blue Neptune	4000	500'
3724	3/8" Gray (1 piece/roll)	4000	300'
6590	3/8" Gray Neptune	4000	500'
4158	3/8" Black Neptune	4500	450'
5036	3/8" Blue Neptune	4500	450'
4208	1/2" Black Neptune	3000	500'

Crimp Fittings Non Installed

Part	Size ID
2963	1/4 hose x 1/4 mpt solid
2842	1/4 hose x 1/4 mpt swivel
4151	3/8 hose x 3/8 MPT Solid
4152	3/8 hose x 3/8 MPT Swivel
2884	1/2 hose x 1/2 MPT Solid
2865	1/2 hose x 1/2 MPT Swivel
2148	Ferrule need for 1/2" hoses

HP Components Pressure Washer Hoses Smooth Cover



MADE IN USA

- .64 OD
- More flexible and lighter
- Economical!
- 4000 PSI single wire braid
- 250°F. maximum



Part	Size ID	Wt.
6659	3/8x50' Black	13 lb
6660	3/8x100' Black	
6892	3/8x50' Blue non-marking	26 lb
6893	3/8x100' Blue non-marking	
6998	3/8x50' Gray non-marking	
6999	3/8x100' Gray non-marking	

HP Components Wrapped Cover

Premium quality hose for high pressure Synthetic rubber tube with high tensile steel wire reinforcement. Abrasion and weather resistant synthetic rubber outer cover

- Male solid and swivel fittings
- 250°F maximum
- Black bend restrictors on 1/4"
- Orange bend restrictors 4000 PSI 1 wire braid
- Red bend restrictors 6000 PSI 2 wire braid

Blue and Gray are NON-MARKING
4000 PSI 1 Wire Braid

Part	Size ID
6308	1/4x35' Black
6380	1/4x50' Black
6381	1/4x100' Black
5848	3/8x50' Black
5565	3/8 x50' Gray
5857	3/8x50' Blue
5849	3/8x100' Black
5568	3/8x100' Gray
5860	3/8x100' Blue



6000 PSI 2 Wire Braid

Part	Size ID
4907	3/8x50' Black
5571	3/8 x50' Gray
6377	3/8x50' Blue
4908	3/8x100' Black
5572	3/8x100' Gray
6379	3/8x100' Blue



Whip/Connector Line Hoses

Whip lines are made from ends of rolls or bulk boxes, may be black, blue, or grey.



Part	Size	PSI
5830	3/8x2'	4000
5893	3/8x3'	4000
5894	3/8x4'	4000
5907	3/8x5'	4000
5362	3/8x6'	4000
5566	3/8x8'	4000
6497	3/8x10'	4000
1693	3/8x2'	4500
4311	3/8x3'	4500
1204	3/8x4'	4500
3319	3/8x5'	4500
1203	3/8x6'	4500
1202	3/8x8'	4500

Hobby Hoses



Oil Resistant Synthetic Rubber

- 3000 PSI maximum
- 140° maximum

High pressure replacement hoses for home owner type machines.

Part	Size	Fittings
2188	1/4x25'	22x1/4FBSP
6018	1/4x25'	22x22mm
6125	1/4x30'	22x22mm

Whitewater® Combo

For pressure washers and steam machines



- MPT solid fittings
 - No bend restrictor on 1/2"
- Steam max 325° @ 350 PSI
Hot water max 250° @ 3000 PSI
1/2" hose max 250° @ 2500 PSI

Part	Size ID	Wt.
4891	3/8x25'	7 lb
1201	3/8x50'	13 lb
1553	3/8x100'	24 lb
1460	1/2x50'	18 lb

Flexsteel® 250 CB Steam



- 250 PSI maximum
- 450°F. maximum

Part	Size ID	OD
3431	1/2" x 25' w/boss clamp	1.06"
3188	1/2" x 50' w/boss clamp	1.06"
3292	Boss Hose Clamp	
3287	Boss Stem	



Sewer Hoses



Durable thermoplastic construction is flexible and light weight for cornering around elbows. Smooth surface cover allows easy access through drain pipes and sewer lines

Part	ID	PSI	Length	Temp	Fittings
2560	1/8"	2900	50'	140°	1/8x1/4
2561	1/8"	2900	100'	140°	1/8x1/4
6217	1/4"	4350	50'	212°	1/4x1/4
6215	1/4"	4350	100'	212°	1/4x1/4

Clear Vinyl Tubing



Part	Product
2288	1/4" ID 100' roll

Polybraided Vinyl Tubing



Part	ID	Roll	PSI
2903	1/4"	25'	250
2904	1/4"	50'	250
2905	1/4"	100'	250
6327	1/4"	300'	250
2906	3/8"	25'	250
2907	3/8"	50'	250
2908	3/8"	100'	250
6208	3/8"	300'	250
2909	1/2"	25'	200
2910	1/2"	50'	200
2911	1/2"	100'	200
2915	5/8"	25'	200
2916	5/8"	50'	200
2917	5/8"	100'	200
2912	3/4"	25'	150
2913	3/4"	50'	150
2914	3/4"	100'	150

Spiraflex® Aggie Hose



General purpose water suction and discharge hose for industrial, agricultural, construction cleanup.

- Flexible and crush resistant
- 158° F. maximum

Part	ID	OD	Max WP	Bend Radius	Length
3111	3/4"	1.06"	120	3.0"	20'
3754	3/4"	1.06"	120	3.0"	100'
4135	1"	1.24"	120	3.0"	20'
4011	1"	1.24"	106	4.5"	100'
4015	1 1/2"	1.78"	89	6.0"	20'
3138	1 1/2"	1.78"	89	6.0"	100'

Insta-Grip 250™

Bypass hose designed for use with push on fittings.

- 250 PSI maximum
- 190°F. maximum

Part	ID
4016	1/4"
3655	3/8"
4017	1/2"
4964	5/8"
4965	3/4"



Pulse Hose

- 1500 PSI maximum
 - 250°F. maximum
- One end must be plugged

Part	Product
2499	24" 3/8" MPT x 3/8" FPT
2500	24" 3/8" MPT x plugged

Reusable Hose Couplers

- No crimps required
- Up to 4500 PSI

Part	Product	OD
2015	3/8" MPT solid 1 wire	.62
2016	3/8" MPT swivel 1 wire	.62
6037	Gates 3/8" MPT solid 1 wire	.62
6048	Gates 3/8" MPT swivel 1 wire	.62
2017	3/8" MPT solid 2 wire	.68-.70
2018	3/8" MPT swivel 2 wire	.68-.70
6054	Gates solid 3/8" MPT 2 wire	.68-.70
3110	Gates swivel 3/8" MPT 2 wire	.68-.70

Band Hose Clamps

- Stainless Steel band
- Steel screw
- 10 clamps per bag

Part	Size	Band	Diameter
1495	#04	5/16" micro	1/4"-5/8"
1496	#06	5/16" micro	5/16"-7/8"
1499	#06	1/2"	3/8"-7/8"
1500	#08	1/2"	7/16"-1"
1501	#10	1/2"	1/2"-1-1/8"
1502	#12	1/2"	1/2"-1-1/4"
1556	#20	1/2"	3/4"-1-3/4"
3599	#24	1/2"	1"-2"



Plastic Cable Ties

Part	Size	Color	Qty
1782	4"	Natural 18#	100
1785	8"	Black 40#	100
1789	11"	Black 50#	100
1788	11"	Natural 50#	100
4372	14"	Natural 50#	100
5636	14"	Natural 120#	100
2641	18"	Natural 120#	100
5649	28"	Natural 175#	100



Teflon Tape

1/2" x 520'



Part
1492

Gilmour Garden Hoses

Flexogen Gray Cover

*The best hose you'll ever buy!
Premium duty!*

- Maximum life up to 500 PSI
- Heavy duty, full flow metal couplings
- All-weather performance
- Ultimate flexibility and kink resistance
- Made from recycled material



Part	Product
4359	5/8" x 50'

Flexogen Hot Water Hose

- Patented Flexogen Technology
- Superior hose life up to 400 PSI
- Heavy duty, full flow brass couplings
- Hot water rated up to 200°F.
- Ultimate flexibility and kink resistance



Part	Product
4364	5/8" x 50'

Garden Hose Accessories



Part	Product
4365	Commercial Nozzle
4621	5/8" x 3/4" male coupler
4622	5/8" x 3/4" female coupler
4620	5/8" x 3/4" hose mender

Garden Hose Couplings

MGH x MGH	
Part	Size
5844	3/4 x 3/4
MGH x MPT	
1290	3/4 x 3/8
2348	3/4 x 1/2
3510	3/4 x 3/4
MGH x FPT	
5918	3/4 x 3/8
3511	3/4 x 1/2
3512	3/4 x 3/4
FGH x MPT	
3252	3/4 x 1/2
3253	3/4 x 3/4
FGH x FPT	
3250	3/4 x 1/2
3251	3/4 x 3/4

Garden Hose Menders

MPT x Barb	
Part	Size
2270	3/4 x 5/8
2271	3/4 x 3/4
FPT x Barb	
2272	3/4 x 5/8
2273	3/4 x 3/4

G H Quick Couplers

Part	Product
1738	FGH socket
1739	MGH plug
3725	Washer

Garden Hose Ball Valve

Part	Size
3457	FGH x MGH

Garden Hose Swivel

Part	Size
2274	FGH x FGH

Garden Hose Washers

1737	Part	Product
	1737	Washer
	2720	Washer 50 pk
	1736	Washer w/filter
	2717	Wash/filt 25 pk

Pressure Reducing Valve

Reduces inlet water pressure to 40 psi



Part	Size
6887	3/4 FGH x MGH



Inlet King Nipples

For gravity feed systems

- Cadmium plated steel for high pressure performance
- Hex base to allow standard wrench usage
- Assemble directly to pump, no adaptors needed
- Barbs designed to prevent hose slippage & leaks



Part	Size
4003	1-1/4" hose barb x 1/2MPT
5049	1-1/2" hose barb x 3/4 MPT



Duraview Inlet Filters

- Strongest see through filter on the market
- Load bearing brass spine
- Integrated garden hose connector
- Flow through design
- Clear plastic cover
- Available with or without bypass ports
- For general purpose pressure wash use



- 8 GPM max
- 150 PSI max
- 180°F. max
- 15 PSI min



Part	Inlet	Outlet	Bypass
3798	3/4"FGH	3/8"MPT	(2) 1/4"
5181	3/4"FGH	3/8"MPT	None
3799	3/4"FGH	1/2"MPT	(2) 1/4"
5419	3/4"FGH	1/2"MPT	None
4057	Repair	kit	
6731	Clear	cover	

Swivel GH Pump Inlets



Part	Size
2154	3/4 FGH x 3/8 MPT hex
6429	3/4 FGH x 1/2 MPT hex



2031	3/4FGH x 1/2MPT spring
------	------------------------



2334	3/4 FGH x 3/8 FPT hex
2336	3/4 FGH x 1/2 FPT hex
6118	3/4 FGH x 1/2 FBSSP hex
2466	3/4 FGH x 3/4 FPT hex



Swivel w/1/4" Bypass Port & Filter

Part	Size
2400	3/4 FGH x 3/8 MPT
2176	3/4 FGH x 1/2 MPT

Garden Hose Brass "Y" Connector



Part	Size
2467	MGH x FGH x MGH



Back Flow Preventer

Part	Size
2511	3/4" FGH x 3/4" MGH