



Surface Spinners

Maximize your pressure washers effectiveness!

Surface cleaners with Talon Swivel

All metal chassis & aluminum deck
 Trigger gun built into handle
 3/8" quick coupler nipple for hose hookup
 Large 10" pneumatic rear tires
 Large 3" front caster
 Stainless steel spray arm assembly
 2 nozzle spray arm assembly
 1/4 meg 15025 nozzles standard
 1500 PSI Minimum pressure
 4000 PSI Maximum pressure
 2000 RPM maximum
 Minimum flow 3 GPM
 Maximum Flow 6 GPM
MADE IN USA



Part	Product
6147	24" spinner
6144	30 Spinner

Surface cleaners with Deublin Swivel

Optional gun and lance can be detached to clean corners
 Inset wheels to allow cleaning of edges
 Front mounted swivel caster allows easy handling & turning
 Two 1/4 meg 15 degree nozzles standard
 Three nozzle spinner available

- Maximum Pressure: 4000 PSI
- Minimum Pressure: 1500 PSI
- Maximum Flow: 8 GPM
- Minimum Flow: 3 GPM
- Maximum Temp. 210°F.
- Maximum Speed: 2000 RPM
- Cleaning Path: 24"
- Approx. Ship Wt: 53 lbs.



Patented Height adjustment system on the 30" spinner keeps the deck at a constant 3/4" off the ground while raising or lowering spray arm assembly from 3/4" to 2-3/4" to increase or decrease impact. Great for cleaning pressure sensitive surfaces!



Part	Product
3325	24" spinner
3326	30 Spinner



Features

High pressure safety trigger
 Heavy duty lightweight aluminum handle
 Heavy duty high pressure swivel with heat treated components (field repairable)
 Self aligned rod ends
 Custom Fuller Brush assembly eliminates over spray: indoor and outdoor use.



Specifications

- 210°F. maximum
- 2,000 to 4000 PSI
- 12 GPM maximum
- 3 GPM MINIMUM
- Cleans 200 sq. ft./min.
- 20" deck
- Weight: 19 lbs

1/4" 2503 nozzles
 3/8" mpt plug on gun

Collapsible handle for easy storage



Part	Product
5915	Model 105C floating
6701	Model 105C w/wheels
5916	Model 105F Floating
6702	Model 105F w/wheels
5917	Swivel Seal Kit



Professional Rotary Cleaning System

Features:

- EZ pull trigger gun minimizes fatigue
- Industrial long life swivel w/ grease fitting
- Cartridge style double bearing assembly
- Rugged ABS cover
- Pro style extended handle with lightweight design allows easy control at safe distance
- Quick release knobs allow for easy storage
- "Zero edge" engineered spray arm maximizes cleaning path
- Heavy duty double braided steel hose for hot water applications

Specifications:

- Maximum pressure: 4000 PSI
- Maximum flow: 8 GPM
- Maximum temperature: 200°F.
- Weight: 17.5 lbs.



Part	Product
6781	18" RCS 1800
6974	Replacement gun
6976	Replacement Swivel
6973	Replacement Spray Bar (no nozzle)
6977	66" Hose assembly
6975	Brush assembly with clips
6978	Swivel repair kit "A" 2100203
6979	Swivel repair kit "B" 2100279



- Save labor, fuel and water
- Eliminate over spray and zebra striping
- Trigger gun controlled cold or hot water
- Balanced spray bar with 2 or 4 nozzles
- Rebuildable swivel



The Original Classic

The leading flat surface cleaner in the industry. Displaying Whisper Wash's original dedication to quality, the Classic provides high quality components integrated with superior engineering design to provide an ergonomical, easy to use flat surface cleaner only a quick disconnect away from your pressure washer.

- 10 GPM maximum
- 4000 PSI maximum
- 2500 RPM maximum
- 212°F. maximum
- Cover: Xenoy ® ABS 19"
- Handle: 77" long
- Weight: 20 lbs
- Detachable handle

1/4" 25025 nozzles included

Part	Item
4345	Classic
NEW 2018 5339	W300-4 4 tip spray bar
5324	Brush
5337	WW312 series 3 swivel
5338	Rebuild kit for WW312 swivel
4792	Seal Kit
5331	Spray Bar 2 Tip
NEW 2018 5325	WW-150-3 3/8" x 5' Black hose with 3/8"mpt x 1/4" mpt ends

Ground Force Flip and Fold

Features the flip-n-fold handle design which allows the unit to collapse for easy transport and storage. The frame is powder coated and constructed of stainless steel and aluminum. The power force of this unit is contained under the 24" cover. A heavy duty nylon brush surrounds the cover to eliminate the hassle of over spray.



- 10 GPM maximum
- 4000 PSI maximum
- 2500 RPM maximum
- 212°F. maximum
- Cover: 24" aluminum
- Handle: 60" long
- Weight: 25 lbs



Part	Item
6715	24" Ground Force
5337	WW312 series 3 swivel
5338	Rebuild kit swivel
4792	Seal Kit
3559	Spray Bar 2 Tip
NEW 2018 3592	Spray Bar 4 Tip

Ultra Clean WW

Whether you prefer a model with wheels or the smooth floating action of the hover cover design, the Ultra clean provides you with quality flat surface cleaning. The Ultra Clean with wheels utilizes a four way pivoting caster design while the hover cover model utilizes a heavy duty nylon brush. Both models assure quick and easy maneuverability within tight areas. High impact ABS plastic and powder coated stainless steel plating construction




with Wheels

Features:

- 6 GPM maximum
- 4000 PSI maximum
- 2500 RPM maximum
- Cover: 19" ABS
- Handle: 43" long
- Weight: 23 lbs
- Casters: 3"
- Temp: 185°F max

Part	Item
5473	19" Ultra Clean
5337	Swivel Assembly
5331	Spray Bar 2 Tip
4585	3" Caster
3558	Wheel Bracket

Hover Cover



Features:

- 6 GPM maximum
- 4000 PSI maximum
- 2500 RPM maximum
- Cover: 16" ABS
- Handle: 43" long
- Weight: 19 lbs
- 2" nylon brush
- Temp: 185°F max

Part	Item
6717	16" Ultra Clean Hover
5337	Swivel Assembly

Big Guy

When you have the big job to do, the Big Guy can get it done for you. With a 28" diameter, pivoting wheel design, and a lightweight housing, the big guy easily maneuvers over large surface areas.

Constructed tough with aircraft grade aluminum.

- 4000 PSI maximum
- 10 GPM maximum
- Cover: 28"
- Handle: 44" long
- Weight: 41 lbs
- Tires: 10" pneumatic
- Caster: 4"
- Dimensions: 38"x 44"x 28"



1/4" 25025 nozzles included

Part	Item
5698	28" Big Guy 2 tip bar
3435	Optional upgrade to 4 tip bar w/order
5937	Brush
5337	WW312 series 3 Green top swivel
5338	Rebuild kit for WW312 swivel
4792	Seal Kit
4510	Spray Bar 2 Tip
3682	Spray Bar 4 Tip
2396	ST-601 Spray gun
5392	WW3107-3 3/8" x 6' 400 PSI black hose with 3/8" mpt x 1/4" mpt ends



Maxima Rotary Cleaner

Maxima's 36" diameter aluminum cover provides maximum surface coverage. The 4 pivoting wheels allow the operator to easily guide the cleaner while the heavy duty nylon brush ensures the high pressure is confined to the surface cleaning area.

Ergonomically designed to eliminate operator fatigue and increases safety. With the Whisper wash swivel and spray bar the Maxima provides efficient cleaning without any zebra striping.

- 4000 PSI maximum
- 10 GPM maximum
- Cover: 36"
- Handle: 77" long
- Weight: 37 lbs
- Breakaway handle
- Quick connection
- Trigger gun controlled

1/4" 25025 nozzles included

Ships UPS oversized 3

Part	Item
6865	36" Maxima 2 tip bar
4922	Optional upgrade to 4 tip bar w/order
3141	Spray bar 2 tips
3142	Spray bar 4 tips
5337	WW312 series 3 green top swivel
5338	Rebuild kit for WW312 swivel



Hammerhead Flat Cleaner

Clean flat surfaces in a percentage of the time. The cleaner glides easily across the surface uniformly cleaning pool decks, sidewalks, garage floors, and more.

- Rugged ABS cover
- 4000 PSI maximum
- 1000 PSI minimum
- 8 GPM maximum
- 3 GPM minimum
- 180°F. maximum
- 3/8" inlet
- 25° 02 1/4" nozzles (2)



Part	Product
6539	18" Hammerhead
6537	20" Hammerhead
1709	Replacement Gun
2704	2702026 replacement hose for 18"
3717	2103221 Swivel w/o zerk fitting
1908	2103220 Swivel with zerk fitting
1875	2100279 Major swivel kit w/o c-clip
5704	2100372 Major kit w/zerk & 3 screws
5762	2100373 Major kit w/o zerk 3 screws
1922	2100203 Minor swivel repair kit
5407	18" rotary arm assembly w/ nozzles
1870	20" Rotary arm assembly w/no nozzles
5409	18" plastic brush with clips
2868	20" plastic brush w/clips
5485	Caster and bracket Kit (4)
5268	GP 2502 1/4" MPT nozzles

Water Brooms

High pressure water broom! Connect to pressure washer up to 3000 PSI

Standard Unit Includes:

- Water broom with nozzles
- 59" wand pipe
- High pressure inlet filter
- Side handle
- Twin caster wheels

Deluxified units also include gun and QC plug



Part	Product
6062	12" Standard kit w/3 nozzles
6604	12" Deluxified kit w/3 nozzles
1545	12" water broom without nozzles
6587	16" Standard Kit w/ 4 nozzles
6605	16" Deluxe kit w/4 nozzles
6730	16" water broom with out nozzles
2215	650135 1/4 meg nozzle



Swivel Conversion Kit

Mosmatic conversion kit is the solution for annoying swivel problems. Easily mount the conversion ring together with the adaptor on your existing surface cleaner.

Convert most concrete cleaner swivels to a quality Mosmatic swivel in most cases for less than the cost of a replacement swivel assembly for your machine

Kit includes aluminum conversion ring, 1" stainless steel adaptor, and screws.



Part	Mos #	Size
6612	55.903	Conversion Kit
6168	55.153	3/8FPT x 3/8MPT DYC swivel
6496	59.051	1/4FPT x 1/4MPT DYT swivel
6131	59.153	3/8FPT x 3/8MPT DYT swivel

Small Area Surface Cleaners

Multi-function, multi-task surface cleaner to clean brick walls, RV's, boats, stadium stairs, kennels, sidewalks, car wash walls, No flying debris guarantees a safe, clean work area. Converts to wall cleaning unit in seconds.

Features:

- Stainless steel deck
- Quick connect lance
- Relax action gun
- 2 rotor arms
- 2 1/8" nozzles
- 2500 PSI maximum
- 250°F maximum

Part	Mos #	Size
6930	78.262	12" Hover
6931	78.272	12" with Castors



Commercial Surface Cleaners

The perfect cleaner for any type of contractor work. Units with stainless steel castors guarantee an effortless cleaning experience even for extended use.

- 4000 PSI maximum
- 250°F maximum
- Relax action gun
- 2 Nozzle Rotor Arms
- 1/8" 1503 nozzles (2)



Part	Mos #	Size
6863	80.770	21" Hover
6932	80.771	21" w/Castors

TKA Turbo Rotor Arms

Designed for use with water and cleaning additive at high RPM. Mosmatic Turbo rotors for use as a self-rotating unit on: Flat surface cleaners, Tire cleaner applicators, parts washers and undercarriage cleaners.

- Pressure: 4000 PSI maximum
- Temperature: 250°F. maximum
- Stainless steel body and pipe
- Inlet: G3/8"F, Outlet 1/8" FPT
- Two arms
- Two 1/8" nozzles (sold separately)



Part	Mos #	Size
6493	82.811	16"
6494	82.812	18"
6495	82.813	20"
6918	82.814	22"
6919	82.815	24"

Contractor Surface Cleaners

No cleaning task is too much for this surface cleaner. Clean large areas like gas stations, parking lots, airport hangars, and school yards. Industrial strength insures longevity.

30" lance quick connects to gun, ideals for cleaning out corners and going where the cleaner cannot

- 4000 PSI maximum
- 250°F maximum
- Relax action gun
- Mosmatic DYC swivel
- 2 1/4" castors
- 1/8" 1503 nozzles (2)
- Stainless steel deck
- 4" stainless steel castors



Height adjustment on each castor bracket guarantees efficient cleaning on any surface. Allow loose debris to be removed from under machine, preventing damage to the turbo arm.

Part	Mos #	Size
6933	80.774	21" 2 Rotor Arms
6934	80.775	30" 3 Rotor Arms

Replacement Swivel & Arms


Part	Mos #	Size
6382	55.253	DYC Swivel
6383	82.942	21" 2 arm, 2 nozzles rotor
6384	82.943	30" 3 arm, 3 nozzles rotor



Hurricane Under Carriage Cleaner

Makes it easier to clean underneath vehicles with a clearance of 7" or more. Can be used for cars, trucks, agricultural machinery and at construction sites without using a car lift.

- Pressure up to 4000 PSI
- Temperature up to 250°
- Completely stainless steel
- Quality DYF swivel
- Balanced rotor arm




The TUV is time saving and more cost efficient than other undercarriage cleaning solutions. It is used with cold or hot water.

When a stabilizer nozzle is installed it has even more power, creating a 3 to 5 foot penetrating stream. The version with the stabilizer also has a higher protective ring.



The guard plate is now standard and protects your rotating arms from damage from objects cleaned off the vehicle, ie, ice.



Part	Mos #	Size
6436	80.611	21" w/2 1/8" nozzles
6556	80.613	21" w/2 stabilizer nozzles

Hurricane Adjustable Under Carriage Deck adjustment from 0° to 90° maximum

Pivot the spray deck for multiple cleaning angles. The adjustable angles allow for "all around" cleaning on construction machines, fleet vehicles, boats or agricultural machines using just one undercarriage cleaner. Three large pneumatic casters make the cleaning job easier with full range of motion, even on rough surfaces. Standard long range stabilizer nozzles increases the distance and impact of your pressure washer dramatically.



Part	Mos #	Size
6499	80.617	Adjustable Undercarriage

Portable Under Carriage Wash and Combo Surface Cleaner

Inject chemical such as salt neutralizer/ rust inhibitor or degreaser at low pressure



Clean undercarriage of vehicles with high pressure then turn the machine over and clean you garage floor or parking lot.

- Remove road grime, fuel & oil
- Knock off sand and grease build-up
- Remove snow, sludge & salt
- Clean flat surfaces in fraction of time
- Pool decks, sidewalks, garage floors

Specifications:

- 18" rugged ABS cover
- 4,000 PSI maximum
- 1,000 PSI minimum
- 8 GPM maximum
- 180°F. maximum
- 3/8" inlet
- 25° #2 nozzles (2)
- 24 lbs shipping wt

Part	Product
6891	Under Carriage Wash



Roof Cleaner

Mosmatic roof cleaner is an industrial quality tool specially designed for efficient, high pressure roof cleaning while keeping the operator in a safe operating area. Design allows the operator to maneuver and lower the roof cleaner along the roof surface using the high pressure hose and safety cable



Specifications:

- 3/8" FPT inlet
- 21" stainless steel housing
- 4000 PSI maximum
- 250°F maximum
- 2 x 1503 1/8" nozzles (not included)
- Swiveling hose connector
- Safety Eye for rope or cable
- Pressure gauge
- Ball valve for easy shut off

Part	Mos #	Size
6914	80.658	DR-520 Cleaner